

# J.W. Speaker 7150 Series



## Description

The Model 7150 is one of J.W. Speaker's brightest and toughest LED construction work lights and tractor work lights. It features a rugged yet lightweight single-piece aluminum housing that's not only highly durable but also corrosion-resistant. The Model 7150 is designed with stable harness connections to endure harsh applications, withstanding high-pressure washing, and steam cleaning. It is an excellent choice for applications such as mining and construction where a high degree of visibility and durability is required.

## Features and Benefits

- DC input voltage for use on a wide range of vehicles
- Available in impact-resistant polycarbonate lens


## Applications

Construction, industrial, mining, railroad, agriculture, material handling, truck and bus, off-road 4x4 and automotive

## Tech Specs

Lens	Polycarbonate or Glass Lens
Lens Pattern	Flood, Spot or Trapezoid
Housing	Die-Cast Magnesium
Connector	Integrated 2-Pin Deutsch Weather-Proof Socket (DT04-2P)
Mating Connector	2-Pin Deutsch Weather-Proof Plug (DT06-2S)
Mounting	Universal Mount, Hardware: (x1) 1/2" Mounting Bolt
Input Voltage	12-24V DC
Operating Voltage	10-32V DC
Wattage	78W
Surge	330V Peak @ 1 HZ-100 Pulses
Light Source	Light Emitting Diodes (LEDs) 5,400 rLumens, 4,500 eLumens
Amp	5.50A @ 12V DC, 3.20A @ 24V DC
Operating Temperature	-40°C min / 65°C max
Standards Compliance	CISPR 22, CISPR 12, IEC IP69K, SAE J1113-13, Eco Friendly
Warranty	5 Years
Weight	2.1lbs (1.0kg)

Part No.	Description
7150F	12-24V DC, Polycarbonate Lens, Flood Beam Pattern
7150S	12-24V DC, Polycarbonate Lens, Spot Beam Pattern
7150T	12-24V DC, Polycarbonate Lens, Trapezoid Beam Pattern
7150F-24V	24V DC, Polycarbonate Lens, Flood Beam Pattern
7150T-24V	24V DC, Polycarbonate Lens, Trapezoid Beam Pattern
7150F-G	12-24V DC, Glass Lens, Flood Beam Pattern
7150T-G	12-24V DC, Glass Lens, Trapezoid Beam Pattern



**J.W. SPEAKER**  
Engineered. Lighting. Solutions.

Authorised Importer and Master Distributor

