

GOLIGHT INC. Product Catalog 2020




PERFORMANCE AND INNOVATION

Powerful light sources, precision engineered reflectors and high performance optics are the most important characteristics of directional lighting. At Golight®, Inc. we are committed to continually developing and testing new illumination and night vision technologies that produce more powerful and useful light sources. Golight® offers designs for useability in countless applications:

- Powerful Spotlights for intense illumination
- · Flood Lens technology for work area illumination
- Infrared Lens for covert night vision enhancement
- · Clear Top-Housing for useful light in the completely vertical position
- Pedestal mounts for better lighting angles on fishing boats

GOLIGHT® DESIGN

Golight's patented product designs utilize a combination of halogen and LED's, optical lens and reflector technology to generate extremely bright lights. The designs eliminate dark spots, maximize effective beam distance and provide the user an effective spectral pattern. Golight designs bring more lighting power to your fingertips, anywhere you go.



SPOTLIGHT PERFORMANCE STANDARDS:

For the first time ever in the spotlight industry there is an official standard of measurement in effect for accurate comparisons of spotlight performance.

New standards for spotlight performance measurement are now in place and accredited by the American National Standards Institute (ANSI). New Peak Beam Intensity (candela), Maximum Beam Distance, and Battery Run Time (when applicable) measurements are now presented next to all Golight® models.





Intensity

Beam Distance

PERSONALIZED CUSTOMER SERVICE

– GUARANTEED

Our personalized customer service means that you can contact us any time. Private consumers and corporate industry buyers alike will speak directly to one of our representatives. We do everything it takes to build an exceptional product, then we stand behind it with exceptional product warranties. That's something you can trust....Guaranteed.


POPULAR APPLICATIONS

Over the years, Golight has had the distinct honor to help people from all walks of life get things accomplished in the dark. Our lights have ridden shotgun on covert ops in the Middle East, guided open-water vessels back to harbor, helped carve roads out of rugged terrain and aided in search and rescue efforts among countless other things. Imagine what you can do with Golight lighting your way!

AUTOMOTIVE




FIRST RESPONSE



MARINE



WORK TRUCK



MILITARY



OUTDOOR/OFFROAD



Golight® GT Series - Halogen



GOLIGHT GT SERIES

Remote Control Spotlights

- Wireless or Hardwired Remote Control Options
- Permanent or Portable Mounting Options
 - 14 Gauge Stainless Steel Mounting Bracket (Perm)
 - Industrial Strength Magnetic Grip (Portable)
- 370° Rotation x 135° Tilt
- 225,000 Candela, Max Beam Distance 3,113 ft
- Ingress Protection from Dust (IP56)
- 5.5 amps at 13.8V
- High Torque Drive Train with Precise Pan/Tilt Control
- 65 watt H9 Bulb / 8° Beam Angle
- UV Ray and Saltwater Resistant
- 3 Year Limited Warranty

Permanent Mount Models



GOLIGHT GT Halogen 2000GT (White) 2051GT (Black)

Package Includes: Wireless Handheld Remote Mounting Hardware and Rockguard



GOLIGHT GT Halogen 2020GT (White) 2021GT (Black)

Package Includes: Hardwired Dash Mount Remote 20' Wiring Harness Mounting Hardware and Rockguard



GOLIGHT GT Halogen 2007GT (White) 2057GT (Black)

Package Includes: Wireless Handheld Remote Wireless Dash Mount Remote Mounting Hardware and Rockguard

Portable Mount Models



GOLIGHT GT Halogen 7901GT (White) 7951GT (Black)

Package Includes: Wireless Handheld Remote Magnetic Mount Shoe 15' Power Cord with Cigarette Plug



GOLIGHT GT Halogen 7900GT (White)

Package Includes: Wireless Handheld Remote Permanent Mount Shoe 15' Power Cord with Cigarette Plug

GT SERIES UPGRADES

- Updated exterior housing design
- Higher torque drivetrain and more precise pan / tilt control
- Increased Ingress protection from dust / water (IP56)
- Permanent mount models boast a robust 14 gauge stainless steel mounting bracket
- Portable magnetic models have
 2X magnetic grip
- Enhanced resistance levels associated with shock, vibration, and impact


Golight GT Series Halogen Accessories



Wireless Handheld Remote 30100



Wireless Dash Mount Remote 30200



Hardwired Dash Mount Remote GT-2020-D



Nylon Carrying Case 18000



Permanent Mounting Shoes* GT-15202 - White GT-15203 - Black




Magnetic Mounting Shoes* GT-16301 - White GT-16303 - Black



Rockguard Cover 15304 - White 15307 - Black



Security Dome**
17920



Mag Base Adapter Kit 16308



Golight GT LED Insert 15444




Jeep Mounting Bracket 16311 - Drivers Side 16312 - Passenger Side



Remote Holster 30111 Remote Not Included

ANTONIOSEN TO SO SO SO SO SOLOTORO UT SO SOLOTORO DE SOLOTORO



*Mounting Shoes for use with Portable Mount Models Only

**Security Dome for use with Permanent Mount Models Only

Illuminance (Lux) 360 90 25 6

Peak Beam Intensity: 225,000 Candela Maximum Beam Distance: 949 m / 3,113 ft

Beam Angle: 8°






... I had 2 go lights on my vehicle in Iraq 2007-2008...We were on a convoy security mission at night and I spotted a pressure plate about a 100meters out with your light!!

My driver couldn't see it but I grabbed the wheel and we just missed it!!!...After EOD was done turns out that plate hade over 5lbs of explosives that would have killed us all!!

Thanks Kirby Frank US ARMY RETIRED!!



Golight® GT Series - LED



GOLIGHT GT SERIES

Remote Control Spotlights

- 10 High Flux LED's
- Wireless or Hardwired Remote Control Options
- Permanent or Portable Mounting Options
 - 14 Gauge Stainless Steel Mounting Bracket (Perm)
 - Industrial Strength Magnetic Grip (Portable)
- 370° Rotation x 135° Tilt
- 544,000 Candela, Max Beam Distance 4,839 ft
- Ingress Protection from Dust (IP56)
- 3.7 amps at 13.8V
- High Torque Drive Train with Precise Pan/Tilt Control
- UV Ray and Saltwater Resistant
- 3 Year Limited Warranty

Permanent Mount Models



GOLIGHT GT LED 20004GT (White) 20514GT (Black)

Package Includes: Wireless Handheld Remote Mounting Hardware



GOLIGHT GT LED 20204GT (White) 20214GT (Black)

Package Includes: Hardwired Dash Mount Remote 20' Wiring Harness Mounting Hardware



GOLIGHT GT LED 20074GT (White) 20574GT (Black)

Package Includes: Wireless Handheld Remote Wireless Dash Mount Remote Mounting Hardware

Portable Mount Models



GOLIGHT GT LED 79014GT (White) 79514GT (Black)

Package Includes: Wireless Handheld Remote Magnetic Mount Shoe & Suction Cup 15' Power Cord with Cigarette Plug



GOLIGHT GT LED 79004GT (White)

Package Includes:
Wireless Handheld Remote
Permanent Mount Shoe & Suction Cup
15' Power Cord with Cigarette Plug

GT SERIES UPGRADES

- Updated exterior housing design
- Higher torque drivetrain and more precise pan / tilt control
- Increased Ingress protection from dust / water (IP56)
- Permanent mount models boast a robust 14 gauge stainless steel mounting bracket
- Portable magnetic models have
 2X magnetic grip
- Enhanced resistance levels associated with shock, vibration, and impact

Golight GT Series LED Accessories



Wireless Handheld Remote 30100



Wireless Dash Mount Remote 30200



Hardwired Dash Mount Remote GT-2020-D



Nylon Carrying Case 18000



Permanent Mounting Shoes* GT-15202 - White GT-15203 - Black



Magnetic Mounting Shoes* GT-16301 - White GT-16303 - Black



Remote Holster 30111 Remote Not Included




Security Dome ** 17920



Snap-On LED Flood Lens 15420



Jeep Mounting Bracket 16311 - Drivers Side 16312 - Passenger Side




Mag Base Adapter Kit 16308



LED Snap On Rockguard 15309 - White 15310 - Black

- *Mounting Shoes for use with Portable Mount Models Only
- **Security Dome for use with Permanent Mount Models Only

LED Light Beam Dimensions




Illuminance (Lux) 870 218 55 14


Peak Beam Intensity: 544,000 Candela

Maximum Beam Distance: 1,475 m / 4,839 ft

Beam Angle: 8° FLI STANDARD FLI STANDARD



A bad storm came through and my crew got called out in the middle of the night for down lines. It was a great chance to put our Golight to work. Having light where and when you need it, really helped us get things back up and my guys home safe. Thanks Golight for a great product.
-Gary Klumpe, Journeyman Lineman



Stryker® ST Series - Halogen



ST SERIES FEATURES

Remote Control Spotlights

- Wireless or Hardwired Remote Control Options
- Permanent or Portable Mounting Options
- 370° Rotation x 135° Tilt
- 225,000 Candela, Max Beam Distance 2,933 ft
- 5.5 amps at 13.8V
- 10° Beam Angle
- 65 watt H9 Bulb / 8° Beam Angle
- UV Ray and Saltwater Resistant
- Weather Proof for Land and Sea Applications
- Stainless Steel Mounting Brackets for permanent mount units
- 5 Year Limited Warranty

Permanent Mount Models



STRYKER ST HALOGEN 3000ST (White) 3051ST (Black) 3006ST (Chrome)

Package Includes: Wireless Handheld Remote Stainless Steel Mounting Bracket Rockguard

NEW STRYKER ST FEATURES

- Multiple Unit Selector Function

 Allows for independent control of 2
 units with 1 remote
- Home Position Function
 - On-Command return to 0° home
- New Wireless Technology Benefits
 - Simultaneous Pan + Tilt
 - Multiple users can operate lights in close proximity without interference
- Smart Programming Logic
 - Quick and simple pairing without dipswitches
- Flourescent Remote Buttons

Portable Mount Models



STRYKER ST HALOGEN
30002ST (White) 30512ST (Black) 30062ST (Chrome)


Package Includes: Wireless Handheld Remote 15' Power Cord with Cigarette Plug Attached Magnetic Base Rockguard



Stryker ST Series Halogen Accessories



Wireless Handheld Remote 30300



Mag Base Adapter Kit 16308



Remote Holster 30111 Remote Not Included



Stryker ST LED Insert 15433




Halogen Rockguard Cover 15305 - White 15306 - Black



Nylon Carrying Case 18000

Light Beam Dimensions



Illuminance (Lux) 360 90 25 6

Peak Beam Intensity: 225,000 Candela Maximum Beam Distance: 949 m / 3,113 ft

Beam Angle: 8°





If it wasn't for these Golights we have mounted on our boats, we could not fish or hunt the way we do on the rivers. All jokes aside, these lights are life savers when we are running our boats at night. Thank you for making one truly river worthy light!!!

-Mudbum Boys

Stryker® ST - LED



ST SERIES FEATURES Remote Control Spotlights

- Wireless or Hardwired Remote Control Options
- Permanent or Portable Mounting Options
- 370° Rotation x 135° Tilt
- 544,000 Candela, Max Beam Distance 4,839 ft
- 3.7 amps at 13.8V
- 8° Beam Angle
- 10 High Flux LED's
- UV Ray and Saltwater Resistant
- Weather Proof for Land and Sea Applications
- Stainless Steel Mounting Brackets for permanent mount units
- 5 Year Limited Warranty

Permanent Mount Models



STRYKER ST LED 30004ST (White) 30514ST (Black) 30064ST (Chrome)

Package Includes: Wireless Handheld Remote Stainless Steel Mounting Bracket

NEW STRYKER ST FEATURES

- Multiple Unit Selector Function

 Allows for independent control of 2
 units with 1 remote
- Home Position Function
 - On-Command return to 0° home
- New Wireless Technology Benefits
 - Simultaneous Pan + Tilt
 - Multiple users can operate lights in close proximity without interference
- Smart Programming Logic
 - Quick and simple pairing without dipswitches
- Flourescent Remote Buttons

Portable Mount Models



STRYKER ST LED 30005ST (White) 30515ST (Black) 30065ST (Chrome)


Package Includes: Wireless Handheld Remote Attached Magnetic Base 15' Power Cord w/ Cig Plug



Stryker ST LED Accessories



Wireless Handheld Remote 30300



Mag Base Adapter Kit 16308



Remote Holster 30111 Remote Not Included



Nylon Carrying Case 18000



Snap On LED Flood Lens 15420




LED Snap On Rockguard 15309 - White 15310 - Black



Jeep Mounting Bracket 16311 - Drivers Side 16312 - Passenger Side

LED Light Beam Dimensions




Illuminance (Lux) 870 218 55 14

Peak Beam Intensity: 544,000 Candela

Maximum Beam Distance: 1,475 m / 4,839 ft

Beam Angle: 8°





Stryker® Hardwired



STRYKER HARDWIRED

Remote Control Spotlights

- Hardwired Remote Control
- Permanent Mounting
- 370° Rotation x 135° Tilt
- Halogen or LED
- UV Ray and Saltwater Resistant
- Weather Proof for Land and Sea Applications
- Stainless Steel Mounting Brackets
- 5 Year Limited Warranty


Halogen Models



STRYKER Hardwired Halogen 3020 (White) 3021 (Black) 3026 (Chrome)

Package Includes: Hardwired Joystick Dash Remote 20' Wire Harness Stainless Steel Mounting Bracket Rockguard

LED Models



STRYKER Hardwired LED 30204 (White) 30214 (Black) 30264 (Chrome)

Package Includes: Hardwired Joystick Dash Remote 20' Wire Harness Stainless Steel Mounting Bracket

Halogen Models

9011 65W Bulb, 10° Beam Angle 200,000 Candela, Max Beam Distance 2,933 ft. 5.5 Amps at 13.8V

LED Models

10 High Flux LED's, 8° Beam Angle 544,000 Candela, Max Beam Distance 4,839 ft. 3.7 Amps at 13.8V


Stryker Accessories



Stryker LED Insert 15433



Hardwired Joystick Dash Remote 3020-D



Gobee® - Halogen



GOBEE

Stanchion Mount Spotlight

- Wireless Remote Control
- 12" Stainless Steel Stanchion that fits in a 2 or 3 Prong Bow Socket
- Integral Bi-Color Navigation Lights
- 360° Rotation x 90° Tilt
- 80,000 Candela, Max Beam Distance 1,857 ft
- 5 amps at 13.8V (Minimum 7 amp fuse required)
- 14° Beam Angle
- 55 watt H3 Bulb
- UV Ray and Saltwater Resistant
- 1 Year Limited Warranty


Stanchion Mount



GOBEE HALOGEN 2151 (Black)

Package Includes: Wireless Handheld Remote 12" Stanchion w/ Nav Lights Nylon Storage Bag

Gobee Halogen Light Beam Dimensions





Illuminance (Lux) 128 32 8 1.3

Peak Beam Intensity: 80,000 Candela

Maximum Beam Distance: 566 m / 1,857 ft

Beam Angle: 14°





GXL® LED - Performance Series



GXL PERFORMANCE Fixed Mount LED Xtreme Lighting

- Fixed Mount Option Only
- 9-32 Volt DC Input
- Shock Proof
- Quick Adjusting Mounting Cradle
- 50,000 hour LED Life Expectancy
- Spot or Flood Lighting Options
- 10 Year Limited Warranty
- Flood Models 5 amps at 13.8V
- Spot Models 6 amps at 13.8V

Fixed Mount Models



GXL PERFORMACE LED Spotlight 4411 (Black)

Package Includes: Mounting Hardware Rockguard



GXL PERFORMACE LED Floodlight 4421 (Black)

Package Includes: Mounting Hardware Rockguard



GXL PERFORMACE LED
Marine Grade Floodlight 4422 (White)


Package Includes: Stainless Steel Mounting Bracket & Hardware Rockguard

Performance Accessories




Rockguard Cover 15344 - White 15345 - Black

GXL™ LED Light Beam Dimensions



Peak Beam Intensity: 110,000 Candela Maximum Beam Distance: 683m/2240 ft.

Beam Angle: 10° Spot



Lumens: 6,000 Beam Angle: 35° Flood

GXL® LED - Work Light Series



Fixed Mount Models
Floodlight 4021 (pictured)
Spotlight 4024
Hybrid Spot/Flood 4023




Portable Models

Floodlight 40215 Spotlight 40245 Hybrid Spot/Flood 40235 (pictured)

GXL WORKLIGHT Fixed or Portable Mounting Options

- 16 High Power LEDs
- 4500 Max Lumens
- 9-33V DC Power input
- Shock Proof up to 40G
- 4.2amp Draw at 13.8V
- Interchangeable Lens System
 - Flood, Spot or Hybrid Options
- 5 Year Limited Warranty

Flood Pattern



Spot Pattern 55,000 cd 469m/1539ft Max Beam

100(328)

200(656)

GXL® LED - Off-Road Series



Model 4211
Package Includes: Mounting Hardware & 12" Wire Lead



NEW - Model 42112 DUAL Off-Road Light Kit (Includes 2 lights & Wire Harness)

GXL OFF-ROAD MODEL 4211 Fixed Mount Off-Road Lighting

- 7 High Output Cree LEDs
- P-Vex Lens Technology
- 12 Degree Beam Angle
- 130,000 Candela
- 6350 Color Temperature
- Active Cooling Technology
- On-Board Thermal Protection
- 9-36 volt Capacity
- Polarity and Voltage Protection
- Powder Coated Stainless Steel Mounting
- 30,000 hr. Rated Life
- 5 Year Limited Warranty

Beam Pattern

m(ft) 10

50(164)

130,000 cd, Max Beam Distance 721m\2,365ft, Beam Angle 12°

